Physica C 217 (1993) 467–470
North-Holland

PHYSICA C

Author Index to Volume 217

Adachi, S., see K. Isawa **217**, 11
Akimitsu, J., see Y. Matsui **217**, 287
Amelinckx, S., see O. Milat **217**, 444
Andersen, J.V., see T. Fiig **217**, 34
Andersen, N.H., see T. Fiig **217**, 34
Anselmi-Tamburini, U., see G. Spinolo **217**, 347
Antipov, E.V., see S.M. Loureiro **217**, 253
Antipov, E.V., see O. Chmaissem **217**, 265
Aoki, T., see M. Kato **217**, 189
Arai, K., see H. Nonaka **217**, 280

Bach, H., see M. Brinkmann **217**, 418
Bærendtsen, H.D., see J.G. Larsen **217**, 135
Baldha, G.J., see R.G. Kulkarni **217**, 175
Barnes, C.L., see M. Lelental **217**, 79
Barry, J.C., see S.J. Golden **217**, 313
Bauernfeind, L., see W. Widder **217**, 121
Belousov, N.S., L.L. Makarshin and V.N. Parmon, Nitroxyl radical adsorption on superconducting yttrium ceramics increases its critical current **217**, 170
Beyers, R., see L.M. Rubin **217**, 227
Bhargarva, A., see S.J. Golden **217**, 313
Bichile, G.K., see R.G. Kulkarni **217**, 175
Blank, D.H.A., see D. Terpstra **217**, 151
Blanton, T.N., see M. Lelental **217**, 79
Boothroyd, A.T., S.M. Doyle and R. Osborn, The magnetic state of Pr in $PrBa_2Cu_3O_7$ **217**, 425
Bowen, R.C., see M. Lelental **217**, 79
Bramley, R., see D.M. Wang **217**, 16
Braun, H.F., see W. Widder **217**, 121
Brinkmann, M., H. Somnitz, H. Bach and K. Westerholt, Resistance anisotropy in strongly anisotropic high-T_c superconductors **217**, 418
Brodersen, K., see Q. Li **217**, 360

Caldès, M.T., see D. Pelloquin **217**, 27
Cao, L.Z., see X.H. Chen **217**, 342
Capponi, J.J., see S.M. Loureiro **217**, 253
Capponi, J.J., see O. Chmaissem **217**, 265
Chakoumakos, B.C., see D.P. Norton **217**, 146
Chang, H., see Y.T. Ren **217**, 273
Chen, B.J., M.A. Rodriguez, S.T. Misture and R.L. Snyder, Effect of undercooling temperature on the solidification kinetics and morphology of Y–Ba–Cu–O during melt texturing **217**, 367
Chen, F., see Y.T. Ren **217**, 6
Chen, H., see X.H. Chen **217**, 342
Chen, X.H., H. Chen, L.Z. Cao, Z.J. Chen and G.E. Zhou, Synthesis and structure of superconductors, $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ of T* phase **217**, 342
Chen, Z.J., see X.H. Chen **217**, 342
Chmaissem, O., see S.M. Loureiro **217**, 253
Chmaissem, O., Q. Huang, E.V. Antipov, S.N. Putilin, M. Marezio, S.M. Loureiro, J.J. Capponi, J.L. Tholence and A. Santoro, Neutron powder diffraction study at room temperature and at 10 K of the crystal structure of the 133 K superconductor $HgBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 265
Christen, D.K., see D.P. Norton **217**, 146
Chu, C.W., see Z.J. Huang **217**, 1
Chu, C.W., see Y.T. Ren**217**, 6, 273
Chumbley, L.S., see T.G. Holesinger **217**, 85
Clayhold, J., see Y.T. Ren **217**, 6
Clinton, T.W., J.W. Lynn, J.Z. Liu, Y.X. Jia and R.N. Shelton, Two- and three-dimensional magnetic order of Er in superconducting $ErBa_2Cu_3O_7$ **217**, 53

Dabrowski, B., Z. Wang, J.D. Jorgensen, R.L. Hitterman, J.L. Wagner, B.A. Hunter and D.G. Hinks, Suppression of superconducting transition temperature in orthorhombic $La_{2-x}Ca_xCuO_4$ **217**, 455
Dam, N.-E., see J.G. Larsen **217**, 135
Dinse, K.-P., see D.M. Wang **217**, 16
Direktovich, Y., see D. Goldschmidt **217**, 217
Doyle, S.M., see A.T. Boothroyd **217**, 425

Eckstein, Y., see D. Goldschmidt **217**, 217
Emura, S., see Y. Kubozono **217**, 21
Enomoto, Y., see A. Odagawa **217**, 222

Fedorov, Yu.A., V.G. Fleisher and M.G. Semenchenko, Current and field distributions in superconducting films: determination of critical current by local field measurement **217**, 63
Fernandez-Baca, J.A., see S. Katano **217**, 73
Fiig, T., J.V. Andersen, N.H. Andersen, P.A. Lindgård, O.G. Mouritsen and H.F. Poulsen, Oxygen-ordering phenomena in $YBa_2Cu_3O_{6+x}$ studied by Monte Carlo simulation Phase diagram, structure factor and oxygen equilibrium pressure **217**, 34
Fleisher, V.G., see Yu.A. Fedorov **217**, 63
Flor, G., see G. Spinolo **217**, 347
Flükiger, R., see G. Grasso **217**, 335
Franz, M., see W. Widder **217**, 121
Freltoft, T., see Q. Li **217**, 360
Fujimoto, T., see Y. Kubozono **217**, 21
Funahashi, S., see S. Katano **217**, 73

Gartstein, E., see D. Goldschmidt **217**, 217
Gerritsma, G.J., see D. Terpstra **217**, 151

Ghigna, P., see G. Spinolo **217**, 347
Golden, S.J., T. Yamashita, A. Bhargarva, J.C. Barry, I.D.R. Mackinnon and D. Page, The extrusion of continuous lengths of $YBa_2Cu_3O_{7-x}$ wire using hydroxypropyl methylcellulose **217**, 313
Goldschmidt, D., G.M. Reisner, Y. Direktovich, A. Knizhnik, E. Gartstein, G. Kimmel and Y. Eckstein, Internal charge transfer in tetragonal superconductor $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ **217**, 217
Gömöry, F. and S. Takács, Irreversibility line and non-linearity in the AC response caused by flux pinning in high-T_c superconductors **217**, 297
Goodman, P., R. Marks, C. Nexhip, T.A. O'Donnell and P. Miller, Investigation of 1223 and 1122 (Tl, Bi)CaSrCuO compounds using oxalate co-precipitation and analytical CBED **217**, 325
Gorman, G., see L.M. Rubin **217**, 227
Grasso, G., A. Perin, B. Hensel and R. Flükiger, Pressed and cold rolled Ag-sheathed Bi(2223) tapes. A comparison **217**, 335
Greaves, C., see O. Milat **217**, 444
Grovenor, C.R.M., see H. Huang **217**, 405
Gugan, D., see O. Stoppard **217**, 197
Guien, Z., see W. Wenbin **217**, 156

Hensel, B., see G. Grasso **217**, 335
Hervieu, M., see D. Pelloquin **217**, 27
Hikita, T., see M. Kato **217**, 189
Hinks, D.G., see B. Dabrowski **217**, 455
Hirano, A., see Y. Kubozono **217**, 21
Hitterman, R.L., see B. Dabrowski **217**, 455
Hjuler, H.A., see Q. Li **217**, 360
Holesinger, T.G., D.J. Miller and L.S. Chumbley, Solid solution region of the $Bi_2Sr_2CaCu_2O_y$ superconductor **217**, 85
Hong, Q. and J.H. Wang, Superconductivity in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R=Ce, Pr or Tb) **217**, 439
Huang, H. and C.R.M. Grovenor, Contacts to $YBa_2Cu_3O_{7-\delta}$ and their electrical behaviours **217**, 405
Huang, Q., see S.M. Loureiro **217**, 253
Huang, Q., see O. Chmaissem **217**, 265
Huang, Z.J., R.L. Meng, X.D. Qiu, Y.Y. Sun, J. Kulik, Y.Y. Xue and C.W. Chu, Superconductivity, structure and resistivity in $HgBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 1
Huang, Z.J., see Y.T. Ren **217**, 6
Hunter, B.A., see B. Dabrowski **217**, 455
Huve, M., see C. Martin **217**, 106
Huybrechts, B., see S. Ohara **217**, 294

Isawa, K., A. Tokiwa-Yamamoto, M. Itoh, S. Adachi and H. Yamauchi, The effect of Pb doping in $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor **217**, 11
Ishida, H., see Y. Kubozono **217**, 21
Ishii, T., see Y. Kubozono **217**, 21
Itoh, M., see K. Isawa **217**, 11

Jacobsen, C.S., see J.G. Larsen **217**, 135
Jeong, I.-K., D.-Y. Kim, Y.K. Park, K.W. Lee and J.C. Park, Microstructure and magnetization J_c of the bulk Y–Ba–Cu–O superconductor prepared by the infiltration-reaction process **217**, 376
Ji, H.L., Z.X. Shi, Z.Y. Zeng, X. Jin, X.X. Yao, X.S. Rong, Y.M. Ni and Z.X. Zhao, Equivalent approaches to studying flux creep Time relaxation and field sweep rate dependence **217**, 127
Jia, Y.X., see T.W. Clinton **217**, 53
Jin, X., see H.L. Ji **217**, 127
Jones, E.C., see D.P. Norton **217**, 146
Jorgensen, J.D., see B. Dabrowski **217**, 455

Kaga, H., see T. Saikawa **217**, 210
Kashino, S., see Y. Kubozono **217**, 21
Katano, S., K. Yamaya, J.A. Fernandez-Baca and S. Funahashi, Crystal structure of the tetragonal superconductor $CaLaBaCu_3O_x$ $(6.69 \leqslant x \leqslant 6.94)$ **217**, 73
Kato, K., see Y. Kubozono **217**, 21
Kato, M., T. Aoki, T. Noji, Y. Ono, Y. Koike, T. Hikita and Y. Saito, Crystal structure and superconductivity in $La_{1.9}Bi_{0.1}CuO_{4+\delta}$ with excess oxygen Superconductivity in the tetragonal phase **217**, 189
Kim, D.-Y., see I.-K. Jeong **217**, 376
Kimmel, G., see D. Goldschmidt **217**, 217
Klehe, A.-K., see H. Takahashi **217**, 163
Knizhnik, A., see D. Goldschmidt **217**, 217
Koike, Y., see M. Kato **217**, 189
Krekels, T., see O. Milat **217**, 444
Kuberkar, D.G., see R.G. Kulkarni **217**, 175
Kubo, Y., see H. Takahashi **217**, 163
Kubozono, Y., T. Fujimoto, H. Maeda, A. Hirano, S. Kashino, K. Oshima, H. Yamazaki, H. Ishida, T. Ishii, S. Emura and K. Kato, XAFS studies of the oxidation process in $Rb_xCs_yC_{60}$ ($x=3$, $y=0$ and $x=2$, $y=1$) **217**, 21
Kulik, J., see Z.J. Huang **217**, 1
Kulkarni, R.G., D.G. Kuberkar, G.J. Baldha and G.K. Bichile, Ceramic processing, dopant-site occupancies and superconducting properties of $YBa_2(Cu_{1-x}Fe_x)_3O_z$ **217**, 175

Labbe, Ph., see C. Martin **217**, 106
Larsen, J.G., N.-E. Dam, C.S. Jacobsen, H.D. Bærendtsen and J.G. Sommerschield, Plates of melt-textured $YBa_2Cu_3O_{7-x}$ superconductors with long crystals **217**, 135
Ledesert, M., see C. Martin **217**, 106
Lee, K.W., see I.-K. Jeong **217**, 376
Lei, S., see W. Wenbin **217**, 156
Lelental, M., T.N. Blanton, C.L. Barnes and R.C. Bowen, Effects of cold rolling and thermal annealing on superconducting properties of 2212 Bi–Sr–Ca–Cu–O/Ag tapes **217**, 79
Leligny, H., see C. Martin **217**, 106
Li, Q., K. Brodersen, H.A. Hjuler and T. Freltoft, Critical current density enhancement in Ag-sheathed Bi-2223 superconducting tapes **217**, 360
Lindgård, P.A., see T. Fiig **217**, 34
Liu, J.Z., see T.W. Clinton **217**, 53

Looney, C., see H. Takahashi **217**, 163
Loureiro, S.M., E.V. Antipov, J.L. Tholence, J.J. Capponi, O. Chmaissem, Q. Huang and M. Marezio, Synthesis and structural characterization of the 127 K $HgBa_2CaCu_2O_{6.22}$ superconductor. T_c variations upon different atmosphere annealings **217**, 253
Loureiro, S.M., see O. Chmaissem **217**, 265
Lowndes, D.H., see D.P. Norton **217**, 146
Lynn, J.W., see T.W. Clinton **217**, 53

Mackinnon, I.D.R., see S.J. Golden **217**, 313
Maeda, H., see Y. Kubozono **217**, 21
Maignan, A., see D. Pelloquin **217**, 27
Maignan, A., see C. Martin **217**, 106
Makarshin, L.L., see N.S. Belousov **217**, 170
Manako, T., see H. Takahashi **217**, 163
Marezio, M., see S.M. Loureiro **217**, 253
Marezio, M., see O. Chmaissem **217**, 265
Markiewicz, R.S., The van Hove singularity in the cuprate superconductors. A reassessment **217**, 381
Marks, R., see P. Goodman **217**, 325
Martin, C., A. Maignan, M. Huve, Ph. Labbe, M. Ledesert, H. Leligny and B. Raveau, A Sr-rich 1223 cuprate, $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$, with a T_c of 110 K A single-crystal study **217**, 106
Matheis, D.P., S.T. Misture and R.L. Snyder, Melt-texture processing and high-temperature reactions of Bi-2212 thick films **217**, 319
Matsui, Y., M. Ogawa, M. Uehara, H. Nakata and J. Akimitsu, Incommensurate and commensurate superstructures in the oxycarbonate superconductor $TlSr_{4-x}Ba_xCu_2(CO_3)O_y$ ($x \approx 2$) **217**, 287
Matsushita, T., On the flux bundle size in weakly pinned superconductors **217**, 461
Meng, R.L., see Z.J. Huang **217**, 1
Meng, R.L., see Y.T. Ren**217**, 6, 273
Meyer, B.C., see V. Selvamanickam **217**, 113
Michel, C., see D. Pelloquin **217**, 27
Mikheenko, P.N. and Ya.I. Yuzhelevskii, Resonance effect in HTSC films with the superimposed magnetic superlattice **217**, 97
Milat, O., T. Krekels, S. Amelinckx, C. Greaves and A.J. Wright, Determination of the superstructure in $(Y_{0.75}Ce_{0.25})_2(Sr_{0.85}Y_{0.15})_2AlCu_2O_{9+x}$ by means of electron microscopy **217**, 444
Miller, D.J., see T.G. Holesinger **217**, 85
Miller, P., see P. Goodman **217**, 325
Mironova, M., see V. Selvamanickam **217**, 113
Misture, S.T., see D.P. Matheis **217**, 319
Misture, S.T., see B.J. Chen **217**, 367
Môri, N., see H. Takahashi **217**, 163
Mori, S., see S. Ohara **217**, 294
Mouritsen, O.G., see T. Fiig **217**, 34

Nakata, H., see Y. Matsui **217**, 287
Nexhip, C., see P. Goodman **217**, 325
Ni, Y.M., see H.L. Ji **217**, 127
Noji, T., see M. Kato **217**, 189
Nonaka, H., T. Shimizu and K. Arai, In situ observation of the growing surface of $YBa_2Cu_3O_{7-\delta}$ films by reflection high-energy electron diffraction beam excited AES **217**, 280
Norton, D.P., B.C. Chakoumakos, E.C. Jones, D.K. Christen and D.H. Lowndes, Anomalous transport and structural properties of $Sr_{1-x}CuO_{2-\delta}$ thin films **217**, 146

Odagawa, A., Y. Enomoto, Y. Yamada, Y. Shiohara and S. Tanaka, Superconductive properties of a $YBa_2Cu_3O_{7-\delta}$ single crystal prepared by crystal pulling **217**, 222
O'Donnell, T.A., see P. Goodman **217**, 325
Ogawa, M., see Y. Matsui **217**, 287
Ohara, S., S. Mori, B. Huybrechts, Y. Watanabe and M. Takata, Synthesis of 90 K superconducting $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ in oxygen at ordinary pressure by Ag_2O addition **217**, 294
Ono, Y., see M. Kato **217**, 189
Orlando, T.P., see L.M. Rubin **217**, 227
Osborn, R., see A.T. Boothroyd **217**, 425
Oshima, K., see Y. Kubozono **217**, 21

Page, D., see S.J. Golden **217**, 313
Park, J.C., see I.-K. Jeong **217**, 376
Park, Y.K., see I.-K. Jeong **217**, 376
Parmon, V.N., see N.S. Belousov **217**, 170
Pelloquin, D., M.T. Caldès, C. Michel, A. Maignan, M. Hervieu and B. Raveau, Lead substitution in the 30 K-superconductor $Bi_2Sr_{4-y}Cu_2CO_3O_{8-\delta}$ **217**, 27
Perin, A., see G. Grasso **217**, 335
Pollert, E., see D. Sedmidubský **217**, 203
Poulsen, H.F., see T. Fiig **217**, 34
Putilin, S.N., see O. Chmaissem **217**, 265

Qiaonan, Q., see W. Wenbin **217**, 156
Qiu, X.D., see Z.J. Huang **217**, 1
Qiu, X.D., see Y.T. Ren **217**, 6

Raveau, B., see D. Pelloquin **217**, 27
Raveau, B., see C. Martin **217**, 106
Reisner, G.M., see D. Goldschmidt **217**, 217
Ren, Y.T., J. Clayhold, F. Chen, Z.J. Huang, X.D. Qiu, Y.Y. Sun, R.L. Meng, Y.Y. Xue and C.W. Chu, Thermopower and resistivity measurements on oxygen-annealed $HgBa_2CaCu_2O_{6+\delta}$ **217**, 6
Ren, Y.T., H. Chang, Q. Xiong, Y.Q. Wang, Y.Y. Sun, R.L. Meng, Y.Y. Xue and C.W. Chu, Micro-Raman scattering on superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ ($n=1, 2, 3$) ceramics **217**, 273
Rijnders, A.J.H.M., see D. Terpstra **217**, 151
Rodriguez, M.A., see B.J. Chen **217**, 367
Roesthuis, F.H.G., see D. Terpstra **217**, 151
Rogalla, H., see D. Terpstra **217**, 151
Rong, X.S., see H.L. Ji **217**, 127
Rubin, L.M., T.P. Orlando, J.B. Vander Sande, G. Gorman, R. Savoy, R. Swope and R. Beyers, Phase stability limits and solid-state decomposition of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ in reduced oxygen pressures **217**, 227

Saikawa, T. and H. Kaga, Non-Fermi-liquid-like behaviors of the CuO_2 model of the high-T_c systems **217**, 210
Saito, Y., see M. Kato **217**, 189
Salama, K., see V. Selvamanickam **217**, 113
Santoro, A., see O. Chmaissem **217**, 265
Savoy, R., see L.M. Rubin **217**, 227
Schilling, J.S., see H. Takahashi **217**, 163
Sedmidubský, D. and E. Pollert, Phase stability and structural properties of $Bi_{2+x}Sr_{2-y}Cu_1O_{6+\gamma+\epsilon}$ solid solutions **217**, 203
Selvamanickam, V., M. Mironova, S. Son, B.C. Meyer and K. Salama, Formation and phase decomposition of textured $YBa_2Cu_4O_8$ superconductor **217**, 113
Semenchenko, M.G., see Yu.A. Fedorov **217**, 63
Shelton, R.N., see T.W. Clinton **217**, 53
Shi, Z.X., see H.L. Ji **217**, 127
Shimakawa, Y., see H. Takahashi **217**, 163
Shimizu, T., see H. Nonaka **217**, 280
Shiohara, Y., see Y. Yamada **217**, 182
Shiohara, Y., see A. Odagawa **217**, 222
Snyder, R.L., see D.P. Matheis **217**, 319
Snyder, R.L., see B.J. Chen **217**, 367
Sommerschield, J.G., see J.G. Larsen **217**, 135
Somnitz, H., see M. Brinkmann **217**, 418
Son, S., see V. Selvamanickam **217**, 113
Spinolo, G., U. Anselmi-Tamburini, P. Ghigna and G. Flor, Chemical diffusion in the Bi, Sr, Ca, Cu/O system **217**, 347
Stoppard, O. and D. Gugan, Temperature dependence of AC susceptibility using a general magnetization model **217**, 197
Sun, Y.Y., see Z.J. Huang **217**, 1
Sun, Y.Y., see Y.T. Ren**217**, 6, 273
Swope, R., see L.M. Rubin **217**, 227

Takács, S., see F. Gömöry **217**, 297
Takahashi, H., A.-K. Klehe, C. Looney, J.S. Schilling, N. Môri, Y. Shimakawa, Y. Kubo and T. Manako, Effect of the pressure–temperature history on T_c and the Hall coefficient in superconducting $Tl_2Ba_2CuO_{6+x}$ **217**, 163
Takata, M., see S. Ohara **217**, 294
Tanaka, S., see A. Odagawa **217**, 222
Terpstra, D., A.J.H.M. Rijnders, F.H.G. Roesthuis, D.H.A. Blank, G.J. Gerritsma and H. Rogalla, Observation of the AC Josephson effect up to THz frequencies in YBCO/PBCO/YBCO ramp-type Josephson junctions **217**, 151
Tholence, J.L., see S.M. Loureiro **217**, 253
Tholence, J.L., see O. Chmaissem **217**, 265
Tokiwa-Yamamoto, A., see K. Isawa **217**, 11

Uehara, M., see Y. Matsui **217**, 287

Vander Sande, J.B., see L.M. Rubin **217**, 227

Wagner, J.L., see B. Dabrowski **217**, 455
Wang, D.M., R. Bramley and K.-P. Dinse, Cooling-rate dependent vortex structure in Rb_3C_{60} Vortex-glass phase in a quenched sample **217**, 16
Wang, J.H., see Q. Hong **217**, 439
Wang, Y.Q., see Y.T. Ren **217**, 273
Wang, Z., see B. Dabrowski **217**, 455
Watanabe, Y., see S. Ohara **217**, 294
Wenbin, W., J. Yunbo, S. Lei, Z. Guien, Z. Yuheng, Q. Qiaonan and Q. Yitai, Observation of the modulated structure in $Bi_2Sr_2CaCu_2O_y$ single crystals by using an X-ray rotating-anode diffractometer **217**, 156
Westerholt, K., see M. Brinkmann **217**, 418
Widder, W., M. Franz, L. Bauernfeind and H.F. Braun, Superconductivity at 40 K in the 1212 system $(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)Cu_2O_{7-\delta}$ **217**, 121
Wright, A.J., see O. Milat **217**, 444

Xiong, Q., see Y.T. Ren **217**, 273
Xue, Y.Y., see Z.J. Huang **217**, 1
Xue, Y.Y., see Y.T. Ren**217**, 6, 273

Yamada, Y. and Y. Shiohara, Continuous crystal growth of $YBa_2Cu_3O_{7-x}$ by the modified top-seeded crystal pulling method **217**, 182
Yamada, Y., see A. Odagawa **217**, 222
Yamashita, T., see S.J. Golden **217**, 313
Yamauchi, H., see K. Isawa **217**, 11
Yamaya, K., see S. Katano **217**, 73
Yamazaki, H., see Y. Kubozono **217**, 21
Yao, X.X., see H.L. Ji **217**, 127
Yitai, Q., see W. Wenbin **217**, 156
Yuheng, Z., see W. Wenbin **217**, 156
Yunbo, J., see W. Wenbin **217**, 156
Yuzhelevskii, Ya.I., see P.N. Mikheenko **217**, 97

Zeng, Z.Y., see H.L. Ji **217**, 127
Zhao, Z.X., see H.L. Ji **217**, 127
Zhou, G.E., see X.H. Chen **217**, 342

Physica C 217 (1993) 471–472
North-Holland

PHYSICA C

Analytic Subject Index to Volume 217

AC susceptibility 79, 170, 197, 297, 325
AES 280
Ag_2O addition 294
Anisotropic superconductor 222
Antiferromagnetic order 381
–in $ErBa_2Cu_3O_7$ 53
Applications of high-T_c superconductors 79, 151, 313, 335, 360, 405

C_{60} compounds 21
Carrier concentration 175
CBED 325
Charge transfer 217
Chemical diffusion 347
Co_3 compounds 27
Critical current density 63, 113, 127, 135, 170, 197, 297, 313, 335, 360, 376
Critical state model 63
Crystal field 425
Cu–O chain 34
Cu–O planes 73, 210

Defect structures 146

Electrical resistivity 1, 6, 11, 121, 146, 182, 217, 222, 405, 439
Electronic structure 210
ESR 16

Fermi liquid 210
Fermi surface 381
Flux creep 127
Flux dynamics 16, 97
Flux pinning 1, 127, 297, 461

Grain alignment 335
Grain alignment (texturing) 135
Grain boundaries 135
Granular superconductivity 170, 360

Hall effect 163
High-pressure effect 163
HREM 27, 287, 444
Hubbard model 381

Incommensurate structures 287
Irreversibility line 297, 461

Josephson effect 151
Josephson-like vortex 97

Lattice dynamics 273
Lattice parameters 265, 342

Magnetic relaxation 127, 461
Magnetic superlattice 97
Magnetic susceptibility 197
Magnetization 135, 376
Magnetoresistance 418
Melt texturing 367
Metal contacts 405
Metal–insulator transition 418
Microstructure 79
Mixed state 63
Modulated structures 156
Monte Carlo simulation 34
Mössbauer spectroscopy 175
Multilayers 280

Neutron diffraction 73, 253, 265
Neutron scattering 53
Neutron scattering (inelastic) 425
Nitroxyl radical 170
Non-ohmic behaviour 297
Normal-state properties 1, 418

O–T transition 189, 455
Oxygen diffusion 182
Oxygen equilibrium pressure 34
Oxygen ordering 163
Oxygen stoichiometry 6, 73, 106, 175, 189, 203, 217, 227, 342

Penetration depth 63
Phase diagram 34, 85, 203, 227, 347, 455
Phase transformation 113

Raman scattering 273
Rare earth magnetism 53

Shapiro step 151
Structure
–of $Bi_{2+x}Sr_{2-y}Cu_1O_{6+\gamma+\epsilon}$ 203
–of $Bi_2Sr_2CaCu_2O_8$ 319
–of $Bi_2Sr_2CaCu_2O_y$ 85, 156
–of $Bi_2Sr_{4-y}Cu_2CO_3O_{8-\delta}$ 27
–of $CaLaBaCu_3O_x$ 73
–of $(Hg_{0.8}Pb_{0.2})_xBa_2Ca_2Cu_3O_{8+\delta}$ 11
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 1, 265
–of $HgBa_2CaCu_2O_{6.22}$ 253
–of $La_{1.9}Bi_{0.1}CuO_{4+\delta}$ 189
–of $La_{2-x}Ca_xCuO_4$ 455
–of $(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)Cu_2O_{7-\delta}$ 121
–of $Sr_{1-x}CuO_{2-\delta}$ 146
–of $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ 342
–of $Tl_{0.8}Bi_{0.4}CaSr_2Cu_3O_9$ 325
–of $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$ 106
–of $TlBa_{4-x}Sr_xCu_2(CO_3)O_y$ (x=2) 287
–of $(Y_{0.75}Ce_{0.25})_2(Sr_{0.85}Y_{0.15})_2AlCu_2O_{9+x}$ 444
Substitution effects 73
–in $Bi_2Sr_2CaCu_2O_y$ 85
–in $Bi_2Sr_{4-y}Cu_2CO_3O_{8-\delta}$ 27
–in $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ 217
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R=Ce, Pr or Tb) 439
–in $YBa_2(Cu_{1-x}Fe_x)_3O_z$ 175
Synthesis
–of Bi-2223 360
–of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 227
–of $Bi_2Sr_2CaCu_2O_8$ 319, 347
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 227
–of $Bi_2Sr_2CaCu_2O_y$ 85
–of $(Hg_{0.8}Pb_{0.2})_xBa_2Ca_2Cu_3O_{8+\delta}$ 11
–of $HgBa_2CaCu_2O_{6+\delta}$ 6
–of $HgBa_2CaCu_2O_{6.22}$ 253
–of $La_{2-x}Ca_xCuO_4$ 455
–of $(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)Cu_2O_{7-\delta}$ 121
–of $Rb_xCs_yC_{60}$ 21
–of $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ 342
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R=Ce, Pr or Tb) 439
–of $Tl_{0.8}Bi_{0.4}Ca_{0.8}Sr_{1.7}Cu_2O_7$ 325
–of $Tl_{0.8}Bi_{0.4}CaSr_2Cu_3O_9$ 325
–of $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$ 106
–of $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ 294
–of Y_2BaCuO_5 376
–of $YBa_2(Cu_{1-x}Fe_x)_3O_z$ 175
–of $YBa_2Cu_3O_{7-\delta}$ 222, 367
–of $YBa_2Cu_3O_{7-x}$ 182
–of $YBa_2Cu_3O_x$ 376

Texturing 113
Thermoelectric effects 6, 11
Thin films 97, 146, 280

Valence fluctuations 425
Van Hove singularity 381
Vortex glass 16

Wires 313

XAFS 21
X-ray diffraction 79, 85, 106, 156, 294, 319, 367, 439